Organisation name Site or unit		FORM Falls Risk Assessment Tool	
Document ID	PSF-FRM-002	**Version**	1.0
Status	Blank form, to adapt	**Issue date**	
Review date		**Replaces**	
Owner		**Approved by**	
Signature			

Form · PSF-FRM-002 · Version 1.0 · Approved by the ASF Expert Committee

Supports: 1.4

1. Purpose

To score falls risk on admission and after any change. Score bands are set by the clinical director.

2. How to complete

- Complete one form per patient, per area or per period, as the purpose states.
- Tick Yes, No or N/A. Any No is actioned at once and reported to the person named in the procedure.

3. Checks

Item to check	Standard reference
Previous falls (last 12 months)	Yes / No [E-008]
Mobility and gait problem	Yes / No [E-008]
Medicines that increase falls risk (sedatives, antihypertensives, diuretics, opioids)	Yes / No [E-008]
Cognitive impairment or confusion	Yes / No [E-008]

Interventions set for each positive item	Yes / No [EC]

4. Evidence

Reference	Note
E-008	WHO Global Report on Falls Prevention in Older Age (2007).
E-009	ASF Expert Committee consensus. Score bands set by the ASF Expert Committee.

5. Change history

Version	Date	What changed	Approval
1.0	—	First approved version	Approved by the ASF Expert Committee

Planned course: Hospital falls prevention, based on the falls guideline. New course planned.

6. References

- World Health Organization (2007). WHO Global Report on Falls Prevention in Older Age. Geneva: WHO. **Open source** (E-008)

- Accréditation Sans Frontières (2026). ASF Expert Committee consensus on Standard 1. (E-009)

Download this document as PDF